

# VETROSPACE XXL

## PERFECT FOR 10

Our largest pod comfortably fits up to 10 people, making it ideal for meetings and encounters or for when you need plenty of space to spread out and focus on a creative task. This flexible and highly modular soundproof booth is built to last.



[VIEW ONLINE →](#)



Plug-and-play solutions



Automated, smart CO2-controlled ventilation



Best-in-class soundproofing



Easy access for people with mobility limitations



Advanced two-stage air filtration (coarse and HEPA 13)



Antimicrobial LED lighting



Antimicrobial surface nanocoating



ISO 7 indoor air quality performance



## TECHNICAL SPECS

<b>Exterior dimensions</b>	W410 / D310 / H240 cm W161.4 / D122 / H94.5 in
<b>Exterior material</b>	LP-laminate
<b>Interior dimensions</b>	W400 / D300 / H220 cm W157.5 / D118.1 / H86.6 in
<b>Interior material</b>	Acoustic ECOfelt lining
<b>Weight</b>	1950 kg   4300 lbs
<b>Indoor surface area</b>	12 m <sup>2</sup>   129.1 ft <sup>2</sup>
<b>Installation height requirement</b>	>250 cm   >98.5 in
<b>Fire safety</b>	UL 723: Class A-C (surface) ASTM E648: Class 1 (flooring)
<b>Electrical safety</b>	IEC 60335-1:2020 UL 962 (E514776)
<b>Seismic safety</b>	Special SEISMIC Certification (2019-0176-COC-01-00), International Building Code (IBC) 2018 (23.02.2021), California Building Code (CBC) 2019 (23.02.2021)
<b>Door</b>	Patented sliding door
<b>Glass thickness</b>	16.7 mm   0.66 in sound-control safety glass
<b>Sound reduction</b>	Ds: 31.3 dB (ISO 23351-1) 43-46dB Rw Lab. STI: 0.03
<b>Ventilation system</b>	Advanced two-stage air filtration (coarse and HEPA 13)
<b>Air flow</b>	Max. 180 l/s
<b>Pressure</b>	Positive air pressure
<b>Lighting</b>	VLD antimicrobial LED
<b>Surface treatment</b>	Photocatalytic antimicrobial nanocoating
<b>Power supply</b>	110-240 VAC / 16 A / 50-60 Hz
<b>Power</b>	150 W average, 800 W maximum
<b>Power sockets</b>	4 as standard

